



# TEST REPORT

Report No.: CCI260701714EN

Report Date: Aug. 03, 2026

Page 1 of 13

**Applicant** : Shenzhenshiyifenggongyinglian Co., Ltd.  
**Address** : Guangdong ProvinceShenzhen CityNanshan DistrictNo. 2008-4, Building F, Xihai Mingzhu Garden, Taoyuan East Road, Dawangshan Community, Nantou Subdistrict, China

(The following sample(s) was (were) submitted and identified by client as)

**Sample Name** : Pillow, bath towel  
**Model/Item No.** : jwyp0579  
**Manufacturer** : Baoding Jingwei superior textile Co., LTD  
**Manufacturer Address** : Baizhong village, Shiqiao Township, Qingyuan District, Baoding, Hebei province, China  
**Labelled Age Group** : 0-6 years  
**Requested Age Group** : 0-6 years  
**Appropriate Age Grading for Testing** : 0-6 years  
**Age Group Applied in Testing** : 0-6 years  
**Test Period** : From Jul. 29, 2026 to Aug. 03, 2026  
**Test Results** : As requested by the applicant, for details refer to next page(s).

Signed for and on behalf of  
Compliance Control Institute (Guangzhou) Co., Ltd.

Approved by

Pascal SH/Technical Director

Compliance Control Institute (Guangzhou) Co., Ltd.

Room 701, Building 2, No.89, Majun Street, Nansha District Guangzhou, Guangdong China

Tel: +86-20-84900678  
Email: cs@ccilab.com.cn

Fax: +86-20-84910993  
Website: www.ccilab.com.cn

This report is governed by, and incorporates by reference, the General Terms and Conditions of Testing which can be obtained / consulted by request to CCI or via the webpage of Conditions of Testing in the official website: www.ccilab.com.cn. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. This report sets forth our findings solely respect to the client's request(s) and the test results are obtained just with the submitted sample identified herein. The test results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. This report can not be reproduced except in full, without prior written permission of CCI. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful, and any offenders may be prosecuted to the fullest extent of the law.



# TEST REPORT

Report No.: CCI260701714EN

Report Date: Aug. 03, 2026

Page 2 of 13

## Executive Summary:

| No. | TESTED SAMPLE                             | STANDARD / REQUIREMENT                                                                                            | CONCLUSION     |
|-----|-------------------------------------------|-------------------------------------------------------------------------------------------------------------------|----------------|
| 1   | Submitted samples                         | Consumer Product Safety Committee(CPSC)16 CFR 1500.48<br>- Sharp Point                                            | PASS           |
|     |                                           | Consumer Product Safety Committee(CPSC)16 CFR 1500.49<br>- Sharp Edge                                             | Not Applicable |
|     |                                           | Consumer Product Safety Committee(CPSC)16 CFR 1501<br>- Small Part                                                | PASS           |
|     | Submitted samples                         | Consumer Product Safety Committee(CPSC)16 CFR 1500.3 (c) (6) (vi)<br>- Flammability Test                          | PASS           |
|     | Submitted samples                         | Consumer Product Safety Committee(CPSC)16 CFR 1610<br>- Flammability Test on textile materials                    | PASS           |
|     | Tested material(s) of submitted sample(s) | Consumer Product Safety Committee(CPSC)16 CFR 1303<br>- Total Lead (Pb)                                           | Not Applicable |
| 2   | Tested material(s) of submitted sample(s) | Consumer Product Safety Committee(CPSC)16 CFR 1307<br>- Phthalates                                                | PASS           |
|     | Submitted samples                         | Section 103 of U.S. Consumer Product Safety Improvement Act of 2008 (CPSIA)<br>- Tracking Labels                  | PASS           |
|     | Tested material(s) of submitted sample(s) | Section 101 of U.S. Consumer Product Safety Improvement Act of 2008 (CPSIA) &15 U.S.C.§1278a<br>- Total Lead (Pb) | PASS           |
| 3   | Tested material(s) of submitted sample(s) | Section 108 of U.S. Consumer Product Safety Improvement Act of 2008 (CPSIA)<br>- Phthalates                       | PASS           |
|     | Tested material(s) of submitted sample(s) | Washington State-Children's Safe Product Act (CSPA)<br>- Total Lead (Pb)                                          | PASS           |
|     | Tested material(s) of submitted sample(s) | Washington State-Children's Safe Product Act (CSPA)<br>- Total Cadmium (Cd)                                       | PASS           |
| 3   | Tested material(s) of submitted sample(s) | Washington State-Children's Safe Product Act (CSPA)<br>- Phthalates                                               | PASS           |



# TEST REPORT

Report No.: CCI260701714EN

Report Date: Aug. 03, 2026

Page 3 of 13

## TESTS CONDUCTED:

### 1. Physical and Mechanical Tests - CPSC

As per U.S. Code of Federal Regulations Title 16 Part 1500.50, the hazards of sharp points, sharp edge and small parts are assessed both before and after applicable use and abuse tests.

#### Test Parameters for Use and Abuse Tests

| Test             | Section  | Age Category of Intended User, months | Stated by the Voluntary Standard              |
|------------------|----------|---------------------------------------|-----------------------------------------------|
| Torque test      | 1500.51e | 0 to 18                               | $2 \pm 0.2$ in-lbf                            |
|                  | 1500.52e | Over 18 to 36                         | $3 \pm 0.2$ in-lbf                            |
|                  | 1500.53e | Over 36 to 96                         | $4 \pm 0.2$ in-lbf                            |
| Tension test     | 1500.51f | 0 to 18                               | $10 \pm 0.5$ lbf                              |
|                  | 1500.52f | Over 18 to 36                         | $15 \pm 0.5$ lbf                              |
|                  | 1500.53f | Over 36 to 96                         | $15 \pm 0.5$ lbf                              |
| Flexure test     | 1500.51d | 0 to 18                               | $10 \text{ lbf} \pm 0.5 \text{ lbf}$          |
|                  | 1500.52d | Over 18 to 36                         | $15 \text{ lbf} \pm 0.5 \text{ lbf}$          |
|                  | 1500.53d | Over 36 to 96                         | $15 \text{ lbf} \pm 0.5 \text{ lbf}$          |
| Impact test      | 1500.51b | 0 to 18                               | $10 \times 4.5 \text{ ft} \pm 0.5 \text{ in}$ |
|                  | 1500.52b | Over 18 to 36                         | $4 \times 3.0 \text{ ft} \pm 0.5 \text{ in}$  |
|                  | 1500.53b | Over 36 to 96                         | $4 \times 3.0 \text{ ft} \pm 0.5 \text{ in}$  |
| Compression test | 1500.51g | 0 to 18                               | $20 \text{ lbf} \pm 0.5 \text{ lbf}$          |
|                  | 1500.52g | Over 18 to 36                         | $25 \text{ lbf} \pm 0.5 \text{ lbf}$          |
|                  | 1500.53g | Over 36 to 96                         | $30 \text{ lbf} \pm 0.5 \text{ lbf}$          |

| Section                    | Description                                                                                                                                                           | Result |
|----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|
| 16 CFR 1500.48 Sharp point | Technical requirements for determining a sharp point in toys and other articles intended for use by children under 8 years of age                                     | P      |
| 16 CFR 1500.49 Sharp edge  | Technical requirements for determining a sharp metal or glass edge in toys and other articles intended for use by children under 8 years of age                       | NA     |
| 16 CFR 1501 Small part     | Identifying toys and other articles intended for use by Children under 3 years of age which present choking, aspiration, or ingestion hazards because of small parts. | P      |

#### Note:

1. P = Pass.
2. NA = Not Applicable.



# TEST REPORT

Report No.: CCI260701714EN

Report Date: Aug. 03, 2026

Page 4 of 13

## Flammability Test - CPSC - 16 Part 1500.44 for rigid and pliable solids

As per U.S. Code of Federal Regulations Title 16 Part 1500.44 for rigid and pliable solids.

| Sample | Ignition Point | Burn Length (inch) | Time (sec) | Burn rate (inch/sec) | Limit (inch/sec) |
|--------|----------------|--------------------|------------|----------------------|------------------|
| Pillow | Edge           | --                 | --         | IBE                  | 0.1              |

### Note:

1. IBE = Ignited But Self-Extinguished.
2. "--" = No test data generated.

## Flammability Test - CPSC - 16 Part 1610 for clothing textiles

As per U.S. Code of Federal Regulations Title 16 Part 1610 for clothing textiles.

| Samples          | D    | Burning Time (second) |     |     |     |     |     |       |               |     |     |     |     |     |       |
|------------------|------|-----------------------|-----|-----|-----|-----|-----|-------|---------------|-----|-----|-----|-----|-----|-------|
|                  |      | As Received           |     |     |     |     |     |       | After Washing |     |     |     |     |     |       |
|                  |      | 1                     | 2   | 3   | 4   | 5   | Ave | Class | 1             | 2   | 3   | 4   | 5   | Ave | Class |
| Blue plush cloth | Weft | IBE                   | IBE | IBE | IBE | IBE | --  | I     | IBE           | IBE | IBE | IBE | IBE | --  | I     |

### Note:

1. IBE = Ignited But Self-Extinguished.
2. Ave = Average.
3. D = Direction.
4. "--" = No test data generated.

### Classification:

| Classification                 | Class I (acceptable)<br>Normal flammability | Class II (acceptable)<br>Intermediate flammability | Class III (reject)<br>Rapid and intense flammability |
|--------------------------------|---------------------------------------------|----------------------------------------------------|------------------------------------------------------|
| Plain surface textile fabrics  | ≥3.5 sec                                    | -----                                              | <3.5 sec                                             |
| Raised surface textile fabrics | >7 sec; or 0~7 sec with no base burns(SFBB) | 4~7s with base burn(SFBB)                          | <4 sec. With base burn(SFBB)                         |



# TEST REPORT

Report No.: CCI260701714EN

Report Date: Aug. 03, 2026

Page 5 of 13

## Total Lead content - CPSC 16 CFR 1303

Remark: Since no scraped-off paint and surface coating was found on the submitted samples, the testing scope was not applicable to the submitted samples.

## Phthalates - CPSC 16 CFR1307

Test Method: With reference to CPSC-CH-C1001-09.4, the analysis was performed by Gas Chromatography-Mass Spectrometry (GC-MS).

| Substances   | DEHP            | DBP    | BBP    | DINP   | DIBP   | DPENP  | DHEXP  | DCHP   | Conclusion |
|--------------|-----------------|--------|--------|--------|--------|--------|--------|--------|------------|
| Limit (%)    | 0.1             | 0.1    | 0.1    | 0.1    | 0.1    | 0.1    | 0.1    | 0.1    |            |
| RL (%)       | 0.0020          | 0.0020 | 0.0020 | 0.0040 | 0.0020 | 0.0020 | 0.0020 | 0.0020 |            |
| Material No. | Test Result (%) |        |        |        |        |        |        |        |            |
| 1+2+3        | N.D.            | N.D.   | N.D.   | N.D.   | N.D.   | N.D.   | N.D.   | N.D.   | PASS       |

### Note:

1. RL = Reporting Limit.
2. % = Percentage by weight, 0.1% = 1000mg/kg.
3. N.D. = Not Detected (Less than RL).
- 4.

| Substances | DEHP                      | DBP               | BBP                    | DINP                     | DIBP                 | DPENP            | DHEXP                | DCHP                   |
|------------|---------------------------|-------------------|------------------------|--------------------------|----------------------|------------------|----------------------|------------------------|
| Name       | Di-2-ethylhexyl phthalate | Dibutyl phthalate | Butyl benzyl phthalate | Diisononyl phthalate     | Diisobutyl phthalate | Diamyl phthalate | Di-n-Hexyl phthalate | Dicyclohexyl phthalate |
| CAS No.    | 117-81-7                  | 84-74-2           | 85-68-7                | 28553-12-0<br>68515-48-0 | 84-69-5              | 131-18-0         | 84-75-3              | 84-61-7                |



# TEST REPORT

Report No.: CCI260701714EN

Report Date: Aug. 03, 2026

Page 6 of 13

## 2. Tracking Label Assessment - CPSIA

As per consumer product safety improvement act (CPSIA) 2008 Section 103 tracking labels for children products

Tracking label found on the package:

| Description/Observation                                                                                                               | Assessment |
|---------------------------------------------------------------------------------------------------------------------------------------|------------|
| <b>Tracking label is not practicable on Package when:</b>                                                                             |            |
| In the absence of substantive packaging.                                                                                              | No         |
| The product tracking label is legible through the packaging without being opened.                                                     | No         |
| The product tracking label is easily accessible while on the shelf or rack.                                                           | No         |
| <b>Tracking label on the package:</b>                                                                                                 |            |
| Name of the manufacturer or the name of the private labeler.                                                                          | Yes        |
| Manufacturer or private labeler location, including the name of the country, and the name or other means of coding of city and state. | Yes        |
| Date of production of the product, in a form of MMY or any other coding system.                                                       | Yes        |
| Cohort information(including the batch, run number, or other identifying characteristic.)                                             | Yes        |
| Is the label permanent after below permanency testing?                                                                                | Yes        |

Tracking label found on the product:

| Description/Observation                                                                                                               | Assessment |
|---------------------------------------------------------------------------------------------------------------------------------------|------------|
| <b>Tracking label is not practicable on Product when:</b>                                                                             |            |
| Product is too small to be marked.                                                                                                    | No         |
| Product that clearly intends to use its package as reusable storage.                                                                  | No         |
| Product is sold through a bulk vending machine.                                                                                       | No         |
| Physically marking weakens/damages the product or impairs its utility.                                                                | No         |
| Product surface is impossible to permanently mark permanently                                                                         | No         |
| Product aesthetics would be ruined by a mark, and a mark cannot be placed in an accessible but inconspicuous location                 | No         |
| <b>Tracking label on the product:</b>                                                                                                 |            |
| Name of the manufacturer or the name of the private labeler.                                                                          | Yes        |
| Manufacturer or private labeler location, including the name of the country, and the name or other means of coding of city and state. | Yes        |
| Date of production of the product, in a form of MMY or any other coding system.                                                       | Yes        |
| Cohort information(including the batch, run number, or other identifying characteristic.)                                             | Yes        |
| Is the label permanent after below permanency testing?                                                                                | Yes        |

Remark: The tracking label assessment was based on the submitted sample and the information provided by the applicant. There was no verification on the validity of such information.

Compliance Control Institute (Guangzhou) Co., Ltd.

Room 701, Building 2, No.89, Majun Street, Nansha District Guangzhou, Guangdong China

Tel: +86-20-84900678  
Email: cs@ccilab.com.cn

Fax: +86-20-84910993  
Website: www.ccilab.com.cn

This report is governed by, and incorporates by reference, the General Terms and Conditions of Testing which could be obtained / consulted by request to CCI or via the webpage of Conditions of Testing in the official website: www.ccilab.com.cn. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. This report sets forth our findings solely respect to the client's request(s) and the test results are obtained just with the submitted sample identified herein. The test results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. This report can not be reproduced except in full, without prior written permission of CCI. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful, and any offenders may be prosecuted to the fullest extent of the law.



# TEST REPORT

Report No.: CCI260701714EN

Report Date: Aug. 03, 2026

Page 7 of 13

## Total Lead content - CPSIA & 15 U.S.C. §1278a

### Total Lead content in Substrate:

Test Method:

Metal - With reference to CPSC-CH-E1001-08.3

Nonmetal - With reference to CPSC-CH-E1002-08.3

The analysis was performed by Atomic Absorption Spectrometer (AAS) or Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES).

| Material No. | RL (mg/kg) | Limit (mg/kg) | Test Result (mg/kg) | Conclusion |
|--------------|------------|---------------|---------------------|------------|
| 1+2+3        | 10         | 100           | N.D.                | PASS       |
| 4+5+6        | 10         | 100           | N.D.                | PASS       |
| 7+8          | 10         | 100           | N.D.                | PASS       |

### Note:

1. RL = Reporting Limit.
2. mg/kg = Milligram per kilogram.
3. N.D. = Not Detected (Less than RL).

## Phthalates - CPSIA

Test Method: With reference to CPSC-CH-C1001-09.4, the analysis was performed by Gas Chromatography-Mass Spectrometry (GC-MS).

| Substances   | DEHP            | DBP    | BBP    | DINP   | DIBP   | DPENP  | DHEXP  | DCHP   | Conclusion |
|--------------|-----------------|--------|--------|--------|--------|--------|--------|--------|------------|
| Limit (%)    | 0.1             | 0.1    | 0.1    | 0.1    | 0.1    | 0.1    | 0.1    | 0.1    |            |
| RL (%)       | 0.0020          | 0.0020 | 0.0020 | 0.0040 | 0.0020 | 0.0020 | 0.0020 | 0.0020 |            |
| Material No. | Test Result (%) |        |        |        |        |        |        |        |            |
| 1+2+3        | N.D.            | N.D.   | N.D.   | N.D.   | N.D.   | N.D.   | N.D.   | N.D.   | PASS       |



# TEST REPORT

Report No.: CCI260701714EN

Report Date: Aug. 03, 2026

Page 8 of 13

**Note:**

1. RL = Reporting Limit.
2. % = Percentage by weight, 0.1% = 1000mg/kg.
3. N.D. = Not Detected (Less than RL).
- 4.

| Substances | DEHP                      | DBP               | BBP                    | DINP                     | DIBP                 | DPENP            | DHEXP                | DCHP                   |
|------------|---------------------------|-------------------|------------------------|--------------------------|----------------------|------------------|----------------------|------------------------|
| Name       | Di-2-ethylhexyl phthalate | Dibutyl phthalate | Butyl benzyl phthalate | Diisononyl phthalate     | Diisobutyl phthalate | Diamyl phthalate | Di-n-Hexyl phthalate | Dicyclohexyl phthalate |
| CAS No.    | 117-81-7                  | 84-74-2           | 85-68-7                | 28553-12-0<br>68515-48-0 | 84-69-5              | 131-18-0         | 84-75-3              | 84-61-7                |

### 3. Total Lead content - CSPA

**Total Lead content in Substrate:**

Test Method:

Metal - With reference to CPSC-CH-E1001-08.3

Nonmetal - With reference to CPSC-CH-E1002-08.3

The analysis was performed by Atomic Absorption Spectrometer (AAS) or Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES).

| Material No. | RL (mg/kg) | Limit (mg/kg) | Test Result (mg/kg) | Conclusion |
|--------------|------------|---------------|---------------------|------------|
| 1+2+3        | 10         | 90            | N.D.                | PASS       |
| 4+5+6        | 10         | 90            | N.D.                | PASS       |
| 7+8          | 10         | 90            | N.D.                | PASS       |

**Note:**

1. RL = Reporting Limit.
2. mg/kg = Milligram per kilogram.
3. N.D. = Not Detected (Less than RL).



# TEST REPORT

Report No.: CCI260701714EN

Report Date: Aug. 03, 2026

Page 9 of 13

## Total Cadmium content - CSPA

### Total Cadmium content in Substrate:

Test Method:

Metal - With reference to CPSC-CH-E1001-08.3

Nonmetal - With reference to CPSC-CH-E1002-08.3

The analysis was performed by Atomic Absorption Spectrometer (AAS) or Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES).

| Material No. | RL (mg/kg) | Limit (mg/kg) | Test Result (mg/kg) | Conclusion |
|--------------|------------|---------------|---------------------|------------|
| 1+2+3        | 2          | 40            | N.D.                | PASS       |
| 4+5+6        | 2          | 40            | N.D.                | PASS       |
| 7+8          | 2          | 40            | N.D.                | PASS       |

### Note:

1. RL = Reporting Limit.
2. mg/kg = Milligram per kilogram.
3. N.D. = Not Detected (Less than RL).

## Phthalates - CSPA

Test Method: With reference to CPSC-CH-C1001-09.4, the analysis was performed by Gas Chromatography-Mass Spectrometry (GC-MS).

| Substances   | DEHP            | DBP    | BBP    | DINP   | DIDP   | DNOP   | Conclusion |
|--------------|-----------------|--------|--------|--------|--------|--------|------------|
| Limit (%)    | 0.1             | 0.1    | 0.1    | 0.1    | 0.1    | 0.1    |            |
| RL (%)       | 0.0020          | 0.0020 | 0.0020 | 0.0040 | 0.0020 | 0.0020 |            |
| Material No. | Test Result (%) |        |        |        |        |        |            |
| 1+2+3        | N.D.            | N.D.   | N.D.   | N.D.   | N.D.   | N.D.   | PASS       |

### Note:

1. RL = Reporting Limit.
2. % = Percentage by weight, 0.1% = 1000mg/kg.
3. N.D. = Not Detected (Less than RL).
- 4.

| Substances | DEHP                      | DBP               | BBP                    | DINP                     | DIDP                     | DNOP                 |
|------------|---------------------------|-------------------|------------------------|--------------------------|--------------------------|----------------------|
| Name       | Di-2-ethylhexyl phthalate | Dibutyl phthalate | Butyl benzyl phthalate | Diisononyl phthalate     | Diisodecyl phthalate     | Di-n-octyl phthalate |
| CAS No.    | 117-81-7                  | 84-74-2           | 85-68-7                | 28553-12-0<br>68515-48-0 | 68515-49-1<br>26761-40-0 | 117-84-0             |

Compliance Control Institute (Guangzhou) Co., Ltd.

Room 701, Building 2, No.89, Majun Street, Nansha District Guangzhou, Guangdong China  
Tel: +86-20-84900678 Fax: +86-20-84910993  
Email: cs@ccilab.com.cn Website: www.ccilab.com.cn

This report is governed by, and incorporates by reference, the General Terms and Conditions of Testing which could be obtained / consulted by request to CCI or via the webpage of Conditions of Testing in the official website: [www.ccilab.com.cn](http://www.ccilab.com.cn). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. This report sets forth our findings solely respect to the client's request(s) and the test results are obtained just with the submitted sample identified herein. The test results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. This report can not be reproduced except in full, without prior written permission of CCI. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful, and any offenders may be prosecuted to the fullest extent of the law.



# TEST REPORT

Report No.: CCI260701714EN

Report Date: Aug. 03, 2026

Page 10 of 13

## Test Material(s) List

| Material No. | Description                      | Location          |
|--------------|----------------------------------|-------------------|
| 1            | Beige fabric with brown printing | Fabric            |
| 2            | Brown knitted thread             | Knitted thread    |
| 3            | White fabric                     | Fabric            |
| 4            | Blue plush cloth                 | Fabric            |
| 5            | Yellow embroidery thread         | Embroidery thread |
| 6            | White embroidery thread          | Embroidery thread |
| 7            | Gray embroidery thread           | Embroidery thread |
| 8            | Pink embroidery thread           | Embroidery thread |



# TEST REPORT

Report No.: CCI260701714EN

Report Date: Aug. 03, 2026

Page 11 of 13

## Photo Appendix



Compliance Control Institute (Guangzhou) Co., Ltd.

Room 701, Building 2, No.89, Majun Street, Nansha District Guangzhou, Guangdong China

Tel: +86-20-84900678  
Email: cs@ccilab.com.cn

Fax: +86-20-84910993  
Website: www.ccilab.com.cn

This report is governed by, and incorporates by reference, the General Terms and Conditions of Testing which could be obtained / consulted by request to CCI or via the webpage of Conditions of Testing in the official website: [www.ccilab.com.cn](http://www.ccilab.com.cn). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. This report sets forth our findings solely respect to the client's request(s) and the test results are obtained just with the submitted sample identified herein. The test results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. This report can not be reproduced except in full, without prior written permission of CCI. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful, and any offenders may be prosecuted to the fullest extent of the law.



# TEST REPORT

Report No.: CCI260701714EN

Report Date: Aug. 03, 2026

Page 12 of 13

## Photo Appendix



Compliance Control Institute (Guangzhou) Co., Ltd.

Room 701, Building 2, No.89, Majun Street, Nansha District Guangzhou, Guangdong China

Tel: +86-20-84900678  
Email: cs@ccilab.com.cn

Fax: +86-20-84910993  
Website: www.ccilab.com.cn

This report is governed by, and incorporates by reference, the General Terms and Conditions of Testing which could be obtained / consulted by request to CCI or via the webpage of Conditions of Testing in the official website: [www.ccilab.com.cn](http://www.ccilab.com.cn). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. This report sets forth our findings solely respect to the client's request(s) and the test results are obtained just with the submitted sample identified herein. The test results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. This report can not be reproduced except in full, without prior written permission of CCI. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful, and any offenders may be prosecuted to the fullest extent of the law.



# TEST REPORT

Report No.: CCI260701714EN

Report Date: Aug. 03, 2026

Page 13 of 13

Photo Appendix



★★★★★End of Report★★★★★